



 Active

 Failed:

S2: {148} [{"4827462"} or {"5765201"} or {"6654772"} or {"6658528"} or {"6895418"} or
 S3: {59267} (storage disk) near9 (segment extent)
 S4: {2531} (command operation) near9 S3
 S5: {138} location with S4

Tagged (2)



 Queue

④ Trash:

DBs	USPGPUB,USPAT,USOCR,EPO,JPO,DEFINDEF,BM_TDS	<input checked="" type="checkbox"/> Pursh
-----	---	---

☒ Highlight as false terms & dates

This image shows a blank page from a document. The page has a light gray background and a vertical black line running down the left side. There is no text or other content on the page.

 IRS form
  ISBP form
  Image
  Text
  HTML

✓ FHS ○ Devs HTML

10727775_CLS1.txt
Most Frequently Occurring Classifications of Patents Returned
From A Search of 10727775 on December 02, 2005

Original Classifications

14	711/112
8	707/205
6	711/162
4	707/10
4	711/114
4	711/163
4	711/170
4	714/5
3	707/1
3	707/200
3	707/204
3	711/165
3	711/4
3	714/6
2	360/265.1
2	360/265.6
2	360/77.01
2	386/95
2	707/101
2	709/203
2	711/113
2	711/118
2	711/141
2	711/202
2	714/8

Cross-Reference Classifications

15	707/204
13	711/114
11	711/162
10	714/6
9	711/112
7	707/202
7	711/170
7	711/4
6	707/1
6	707/205
6	711/111
5	707/10
5	707/200
5	711/100
5	711/161
5	711/171
4	707/3
4	710/32
4	711/113
4	711/165
3	707/100
3	707/2
3	711/133
3	711/145
3	711/173
3	711/202
3	711/203
3	714/8
2	345/505
2	345/520
2	345/530

2 360/77.02
 2 360/77.12
 2 386/126
 2 707/101
 2 707/104.1
 2 707/206
 2 709/225
 2 711/117
 2 711/118
 2 711/126
 2 711/137
 2 711/154
 2 711/206
 2 711/207
 2 711/209
 2 711/213
 2 714/5
 2 714/7
 2 715/500.1
 2 715/533

Combined Classifications

23 711/112
 18 707/204
 17 711/114
 17 711/162
 14 707/205
 13 714/6
 11 711/170
 10 711/4
 9 707/1
 9 707/10
 8 707/200
 7 707/202
 7 711/111
 7 711/165
 6 711/113
 6 711/171
 6 714/5
 5 707/3
 5 711/100
 5 711/161
 5 711/163
 5 711/202
 5 714/8
 4 707/101
 4 707/2
 4 710/32
 4 711/118
 4 711/133
 3 707/100
 3 709/203
 3 711/137
 3 711/145
 3 711/173
 3 711/203
 2 345/505
 2 345/520
 2 345/530
 2 360/265.1
 2 360/265.6
 2 360/77.01
 2 360/77.02

2 360/77.12
 2 369/275.3
 2 386/126
 2 386/95
 2 400/76
 2 707/104.1
 2 707/206
 2 709/225
 2 711/117
 2 711/126
 2 711/141
 2 711/147
 2 711/154
 2 711/168
 2 711/206
 2 711/207
 2 711/209
 2 711/213
 2 714/7
 2 715/500.1
 2 715/533

710/ 36
 72

711/112
 161
 170

707/1, 205

710/1, 36-45
 72-74

711/ 100-114
 161-164
 170-173

707/1, 200-208